



## **EDITO**

In a fast-paced, ever-changing world, the workplace of today is constantly shifting and with new technologies and policies arising, employees have the freedom to choose where and how they work. Companies will continue to promote their workspaces and need to engage their employees by providing spaces for better creativity and effective collaboration. Creating vibrant offices and providing flexibility is becoming critical for attracting the best and brightest people. And the Workplace segment is not the only one adapting to major trends. The Hospitality industry is undergoing fundamental changes to best address their guests' expectations and deliver exceptional customer experience. Committed to staying on the leading edge of trends in both segments, Tarkett has designed iD Square, an acoustic loose-lay collection tailored to the specific needs of these markets.

## **CONTENTS**

#### **ID SQUARE APPLIED TO WORKPLACE AND HOSPITALITY TRENDS**

FLEXIBLE WORKSPACE	4
COLLABORATIVE WORKSPACE	12
CARING WORKSPACE	20
HOSPITALITY	28
THE PERFECT FIT WITH DESSO CARPETS	
FUSION: A BEAUTIFUL BALANCE OF ID SQUARE AND CARPET TILES	
DOING GOOD. TOGETHER.	48
FECHNICAL BENEFITS	50
COLLECTION	52
FECHNICAL SPECIFICATIONS	58



### **FLEXIBLE WORKSPACE**

By 2020, Generation Y or 'Millennials' and Generation Z will comprise more than half of the workforce. They are digital natives, collaborative, adept at multitasking and their attitudes and expectations will have a major impact on the work environment as they are striving for greater autonomy and flexibility. They expect a genuinely agile work ecosystem, with good internet access, where they can work from basically anywhere - co-working spaces, hotel lobbies, unassigned seating areas, individual work spaces or unconventional work spaces ranging from corridors to nooks or crannies. It is vital that these dynamic spaces contribute to productivity, creativity, and health of these employees. Tarkett designers have come up with several exciting and unusual colour and texture combinations that have been adapted for each concept area.



MARBLE PULPIS Grey □ 24565 078 66 x 66 cm

**Light Grey** 

CEMENT

□ 24563 094



25 x 100 cm





CEMENT **Medium Grey** □ 24563 095 50 x 50 cm 100 x 100 cm



CEMENT Dark Grey □ 24563 093 50 x 50 cm




50 x 50 cm 100 x 100 cm

50 x 50 cm



Grey □ 24563 073 50 x 50 cm




CHAMBRAY 50 x 50 cm



**ENGLISH OAK** 




CEMENT CHEVRON



□ 24563 082

□ 24588 080



□ 24563 086






CHAMBRAY Denim □ 24563 079 50 x 50 cm





Denim □ 24563 074 50 x 50 cm



□ 24563 085 50 x 50 cm







CHAMBRAY DARK GREY 24563 081

**PATINE** SOLID RED 24564 068

CEMENT LIGHT GREY 24563 094

**iD SQUARE** 11



### **COLLABORATIVE WORKSPACE**

Initially, shared office spaces were typically related to start-ups. This trend has majorly spread over the years to break into almost every organization seeking to stimulate open collective thinking, innovation, and fresh perspectives thus going beyond the cubicle!

From wide open-plan offices that are modular and easily adaptable, to fragmented open concepts where areas are clearly delineated, open spaces naturally allow employees to interact frequently with each other and make the workspace more agile.

Our design team has sought to inject bright and modern materials and textures into these spaces to emanate an appealing and inspired feel.



66 x 66 cm

100 x 100 cm


VINTAGE ZINC □ 24565 002 □ 24588 002



**VINTAGE ZINC** 66 x 66 cm



VINTAGE ZINC □ 24565 000





TERRAZZO MURANO

□ 24563 075

Multico

50 x 50 cm

PATINE

24564 064







Dark Anthracite

50 x 50 cm

**PATINE** 

□ 24564 046

Chalk

50 x 50 cm

□ 24564 044 50 x 50 cm



MINIMAL WOOD Dark Grey ⊞ 24567 102 25 x 100 cm □ 24563 102 50 x 50 cm



**WOVEN VINYL** □ 24562 090 50 x 50 cm



Dark Grey TISSE ☐ 24560 032 50 x 50 cm



24564 065 50 x 50 cm




PATINE Solid Green □ 24564 066 50 x 50 cm



□ 24564 002 50 x 50 cm ☐ 24578 002 100 x 100 cm





VINTAGE ZINC
OXYDE S
24563 069

PATINE SOLID GREEN 24564 066

SOLID YELLOW 24564 067





### **CARING WORKSPACE**

Today's forward-thinking companies, which advocate employee-centric culture, strive to foster workplace wellbeing and to encourage work-life balance. This trend is on the rise and it should continue its momentum. In an effort to achieve high levels of employee-wellbeing, healthy materials are used by workplace designers to create dynamic work environments for both focused work and restorative activities to make employees feel at home and comfortable.

Human-centered design and innovative furniture such as adjustable workstations or standing desks positively contribute to increased worker productivity and improved overall health.

Tarkett designers have combined different textures and used subtle variations in natural hues to add depth and passion to these spaces and support a Work better live better motto.



**PATINE**☐ 24564 040 **Light Chocolate** 50 x 50 cm



TISSE Chocolate □ 24560 033 50 x 50 cm



**WOVEN VINYL**☐ 24562 091 Natural 50 x 50 cm □ 24589 091 100 x 100 cm



CITIZEN OAK Natural ⊞ 24593 088 20 x 120 cm 

Chalk

50 x 50 cm

PATINE

□ 24564 064



MINIMAL WOOD

**24567 101** 

24563 101

Grey

25 x 100 cm

50 x 50 cm

MINIMAL WOOD

⊞ 24567 100

☐ 24563 100

Natural

25 x 100 cm

50 x 50 cm

**CITIZEN OAK**☐ 24593 087 Golden 20 x 120 cm 



CHAMBRAY Ochre 50 x 50 cm □ 24563 084



**WOVEN VINYL** Bicolor ☐ 24562 092 50 x 50 cm



50 x 50 cm

□ 24563 083

**ENGLISH OAK** Beige ⊞ 24576 305 25 x 100 cm




**ENGLISH OAK** Grege **24576 301** 25 x 100 cm



**ENGLISH OAK** Dark Grege **24576 304** 25 x 100 cm







CHAMBRAY OCHRE 24563 084

WOVEN VINYL
E NATURAL
24562 091

WOVEN VINYL BICOLOR 24562 092



### **HOSPITALITY**

The hospitality industry is ever-changing and with enhanced technology entering the market the global scene is changing faster than ever before. Players become more innovative to provide exceptional experiences hoping to go beyond their guests' high expectations.

Online and iPad check-ins are inducing the front reception areas mutation. Thus, more front desks will be replaced with sit-down digital concierge services and other public areas will shift from business-like spaces to warm and inviting areas. Hotels are also going big on the smart room concept to transform the hotel room experience. Undertaking these changes requires great agility including in the flooring installation process to minimize downtime and reduce costs.

Our designing team aspires to be a part of this story, by offering guests a more unpredictable and personalized experience which is why our designs offer soothing patterns, with cool and warm tones and enhanced with a touch of brass.



TRAVERTINE □ 24563 076



MARBLE PULPIS □ 24565 077 □ 24588 077

Golden Black 66 x 66 cm



**ENGLISH OAK 24576 300** 

Black 25 x 120 cm

50 x 50 cm



25 x 120 cm

**ENGLISH OAK** ⊞ 24576 302



20 x 120 cm

**CITIZEN OAK**☐ 24593 087 24597 087 Chevron Left



WALNUT

20 x 120 cm



DASHES □ 24562 071 50 x 50 cm



DASHES Green □ 24562 070 50 x 50 cm



DASHES Petrol 50 x 50 cm □ 24562 072








ENGLISH OAK DASHES
WARM GOLD PETROL
24576 302 24562 072




## MIX WITH CARPET FOR CAPTIVATING INTERIRORS

Creativity is at the heart of good design along with the desire to make a mark. With our Fusion concept, we combine iD Square with DESSO carpet tiles, to create stunning and practical flooring for contemporary spaces. We've designed the iD Square and DESSO carpet tile products in the Fusion collection to work together seamlessly, with no transition strips. For more inspiration and information please visit <a href="https://www.tarkettfusion.com">www.tarkettfusion.com</a>




iD Square flooring and DESSO carpet tile products are simply the perfect fit. The designs and products of Tarkett Fusion have been carefully selected to not only match aesthetically, but also from a functional perspective. The slight difference in height between Fusion Desso Carpet tiles and iD Square (maximum 2,5mm\*) allows for a seamless transition with no strips needed.



\*We advise to keep a height difference of maximum 2.5 mm between Carpet tiles and LVT, to avoid strips or leveling.


## MIX WITH CARPET FLEXIBLE WORKSPACE



**DESSO** Resonance 8932 - **iD SQUARE** Patine Dark Anthracite 24564046

## MIX WITH CARPET


## COLLABORATIVE WORKSPACE








# MIX WITH CARPET CARING WORKSPACE






**DESSO** Salt 7061/ Rock 7065 - **iD SQUARE** Patine Grey 24564002

# MIX WITH CARPET HOSPITALITY









Doing Good. Together. At Tarkett, we believe that together, we can make a positive impact on people and the planet. We strive to make high quality, sustainable flooring to help you create healthier and people-friendly spaces.

We listen to our customers' needs and collaborate with all our stakeholders to design products that deliver optimal performance, promote healthy living and respect natural resources.



## We are designing for life

We recycle waste from our production, transforming it into new, high quality products. In this way, we can contribute to safeguarding the world's natural resources and protecting the environment. iD Square is close to 100% phthalate-free and also showcases very low VOC emissions for optimal indoor air quality. This flooring is also reinforced with Topcean XP™, a UV photo crosslinked polyurethane which permanently suppresses any wax and regenerating operations and allows for easy maintenance (dry cleaning). Through our focus on Cradle to Cradle® design, we make our products in a way that helps to preserve natural resources and mitigate climate change.



## We are closing the loop

We recycle waste from our production, transforming it into new, high quality products. In this way, we can contribute to safeguarding the world's natural resources and protecting the environment, and by closing the loop, shift to a circular economy.



## We're driving collaboration


The world's great sustainability challenges require co-operation and partnership across industries and supply chains. We encourage our customers and all our stakeholders to join us in working toward positive change. Importantly, we communicate our sustainability progress transparently, and provide you with clear information about our products and ambitions.

### Doing Good. Together.

Every day, we strive to improve people's lives, preserve natural resources and respect our environment.

# **DESIGNED TO SAVE YOU** TIME AND MONEY

Product construction





### TopClean XP™ PUR reinforcement

Wear layer reinforced with a UV photo cross-linked PUR treatment which permanently suppresses any wax and regenerating operations, allows for easy maintenance and extra resistance to scuffs, scratches and stains



### 0.80mm pure PVC transparent wear layer

A class leading wear layer for extreme resistance to wear



**Decorated compact impregnation** 50 design options



Acoustic layer built with solid homogeneous calandered layers reinforced with non-woven glass fibre

To help reduce impact noise pollution and ensure excellent resistance to tear and indentation



#### Non-woven glass fibre layer

For exceptional dimensional stability preventing the floor from expanding or contracting



#### Chemical foam backing

To prevent lateral movements of the flooring

## BRINGING YOU THE ULTIMATE ACOUSTIC COMFORT



## BETTER ACOUSTIC COMFORT

Office acoustics contribute to performance and wellbeing in the workplace. iD Square dampens noise level in rooms and reduces sound transmission between floors to 15 dB thus contributing to employees comfort and improving their effectiveness. iD Square is also ideal for commercial projects including hospitality.



Easy to install and just as easy to remove without damaging the substrate. You can have access effortlessly to the technical subfloor and benefit from a very simple maintenance over time. iD Square is very fast and easy to install with minimum floor preparation.



## HIGH QUALITY FOR HIGH TRAFFIC AREAS

Made in Europe and specifically developed for the demanding high traffic environments, iD Square is endowed with one of the thickest wear Layers on the market with 0,8mm. This results in an excellent dimensional stability that ensures a curl-free installation.



#### **GREAT RESISTANCE**

iD Square's hygienic surface treated with UV photo crosslinked polyurethane grants greater durability and allows for easy maintenance and extra resistance to scuffs, scratches, spread of water and stains. It permanently suppresses any wax and regenerating operations. Made in France, iD Square benefits from a 10 year commercial warranty.



#### 50 DESIGNS AND 7 FORMATS

iD Square displays an extensive selection of trendy patterns specifically crafted by Tarkett design studio. The designs mimic a variety of textile, artistic, wood and mineral decors, giving the flooring an authentic look.



#### **MODULARITY**

All 50 designs and 7 formats can be mixed together to carry out elegant, creative projects and bring unexpected style to your floor. You can consult our layouts book on pages 40 & 49.

Also, iD Square can be combined with Desso Carpets, thanks to similar thicknesses and matching designs, to create the perfect fit and ensure seamless transitions. This provides you with an exceptionally diverse range and infinite combination possibilities.

Please see pages 60 for all possible format combinations.



#### **CUSTOMISATION**

iD Square offers advanced possibilities of customization including the choice of colour, design and format . Please note that  $1000 \text{ m}^2$  minimum order quantity is required for this category of service.



## ENVIRONMENTAL PERFORMANCE

Health is an important factor in optimizing performance at work. iD Square uses Phthalate-free technology and helps improve indoor air quality with VOC emissions below quantifiable levels, under 10µg/m³ after 28 days.

# **iD SQUARE**COLLECTION

CEMENT CHEVRON ..... CARPET ..... **Grey** 24563 073 50 x 50 cm 24563 074 50 x 50 cm 25 x 100 cm **Light Grey** 24563 094 **Medium Grey** Dark Grey 50 x 50 cm 24563 095 50 x 50 cm 24563 093 50 x 50 cm 24588 095 100 x 100 cm CHAMBRAY ..... **Grey Beige** 24563 082 **Denim** 50 x 50 cm 24563 079 Petrol Dark Denim 50 x 50 cm 24563 086 50 x 50 cm 24563 085 50 x 50 cm **Light Grey** 24563 080 Ochre Dark Grey 50 x 50 cm 24563 083 50 x 50 cm 50 x 50 cm 50 x 50 cm

24588 080

100 x 100 cm



## **iD SQUARE** COLLECTION











50 x 50 cm

Multico 24563 075

50 x 50 cm 24563 076

50 x 50 cm 24560 033

50 x 50 cm 24560 032

VINTAGE ZINC .....





66 x 66 cm

100 x 100 cm





66 x 66 cm 24565 000

Oxyde 24565 069

WOVEN VINYL .....

Metalic

24565 002 24588 002









66 x 66 cm

**Bicolor** Natural 50 x 50 cm 24562 091 50 x 50 cm 24562 092 24589 091 100 x 100 cm

24562 090

50 x 50 cm

CITIZEN OAK .....

24593 087 24597 087

24599 087

20 x 120 cm 24593 088 Chevron Left 20 x 120 cm 24597 088 Chevron Right 20 x 120 cm 24599 088

20 x 120 cm Chevron Left 20 x 120 cm Chevron Right 20 x 120 cm











Beige 24576 305

25 x 100 cm

Grege 24576 301 25 x 100 cm

Dark Grege 4576 304 25 x 100 cm

24576 303 25 x 100 cm

24576 302 25 x 100 cm

Black 24576 300 25 x 100 cm



Natural 24567 100 25 x 100 cm 24563 100 50 x 50 cm

Grey 24567 101 25 x 100 cm 50 x 50 cm


**Dark Grey** 24567 102 25 x 100 cm 24563 102




Walnut 24593 089 20 x 120 cm

## **FORMATS & COMPATIBILITY**


**DESSO** 





#### 100 x 100 cm


# FORMATS & COMPATIBILITY iD SQUARE



Bold shapes are compatible with DESSO carpet products.

### **ACCESSORIES**

#### **SKIRTING**



## WALL BASE DECORATIVE SET-ON SKIRTING ID SQUARE

Compact skirting with decorative film and PUR surface treatment, to be glued

#### SKIRTING KS61-61 mm

- White 1411002
- Black 1411007
- Dark Grey 1411008
- Medium Grey 1411009
- © Grey 1411010
- Light Grey 1411011
- O Very Light Grey 1411012
- Dark Brown 1411013
- Red 1411019
- Bright Orange 1411047
- Beige 1411021
- Medium Beige 1411025
- Grege 1411026
- Light Beige 1411027
- Bright Yellow 1411048
- Intense Plum 1411049
- Rose Wood 1411032
- Intense Olive 1411050
- Blue Green 1411035
- Green / Yellow 1411036
- Dark Blue 1411039
- Medium Blue 1411041
- Sky Blue 1411042
- Green Blue 1411044
- O Aluminium 1411051
- Oak Long Strip Natural 1411052
- Oconcrete Cool Grey 1411053
- Dark Beige 1411054
- Bright Turquoise 1411055
- Intense Petrole 1411056


#### SKIRTING KS80 - 80 mm


- White 1411257
- Dark Grey 1411258
- Medium Grey 1411259Grey 1411260
- Dark Beige 1411261
- Concrete Cool Grey 1411262


#### SKIRTING KS100 - 100 mm

- White 1411163
- Dark Grey 1411164
- Medium Grey 1411165
- © Grey 1411166
- Dark Beige 1411167
- Concrete Cool Grey 1411168

#### **PROFILE**







#### **TRANSITION PROFILE**

Very high traffic aluminium transition profile, to be screwed in

- Silver 1451 011
- Stainless Steel 1451 012
- 27 Im 10 units of 2.7 Im

#### **BENDABLE PROFILE**

Aluminium stop profile, to be screwed in


- Silver 1456 011
- Stainless Steel 1456 012
- **3 10 units of 2.5 lm**


#### **RAMP PROFILE**

Very heavy traffic aluminium profile, to be screwed in

- Silver 1454 011
- Stainless Steel 1454 012
- 10 units of 2.7 lm

#### **ACCESSIBILITY**









## **UNDERLAY**



#### TARKOMFORT SELF-ADHESIVE

- sound and in-room noise
- Quick and easy-to-install solution
- Environmentally-friendly solution (90% natural raw materials)
- Black 24992 040

## **WARNING TILE\***

- Helps recognize a change in level, in accordance with regulatory requirements for disabled access and safety
- Self-adhesive or to be glued to the floorcovering (according to product), Format: 800 x 420 x 7mm
- 1 box of 6 tiles
- O White 1431 001
- Black 1431 002
- Light Grey 1431 003
- Self-adhesive rectangular tiles, Format: 815 x 420 x 8mm ₩ 1 box of 10 tiles
- Self-adhesive square tiles, Format: 450 x 420 x 8mm ₹ 1 box of 10 tiles
- O White 1440 350 1440 450
- Grey 1440 351 1440 451
- Black 1440 352 1440 452
- Ivory 1440 353 1440 453
- Red 1440 354 1440 454
- Yellow 1440 355 1440 455

#### **EASY KIT 3D STUDS**

- Accessibility accessory
- Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering
- Grey 1440 551
- Black 1440 552
- \$\frac{1}{2}\$ 5mm x 22.5mm for a 33 studs kit (8 kits per pack)

#### **JUMPAX ORIGINAL®**

- High-class solution for reducing both impact Levels existing subfloor perfectly via a readyto-use, dual rigid-board floating system
  - Reduces noise by up to 21dB Lw
  - Provides greater resistance in heavy-traffic areas with its strong, rigid structure
  - Beige 24993 010

### **PRODUCT DETAILS**

Design	Colour	Available formats in standard collection	References	NCS	LRV
CARPET	Denim	50 x 50 cm	24563074	S5005-R80B	23.7
CARPEI	Grey	50 x 50 cm	24563073	S3502-R	41.5
CEMENT	Dark grey	50 x 50 cm	24563093	S4502-Y	25.8
	Light grey	50 x 50 cm	24563094	S2002-Y50R	49.4
	Medium grey	50 x 50 cm 100 x 100 cm	24563 095	S3502-Y	35.0
CEMENT CHEVRON	Medium grey	25 x 100 cm	24588 095 24567096	S3502-Y / S4502-Y	35.0
CLIVILIN'I CHLVNOIN	Dark denim	50 x 50 cm	24563085	S6010-R70B	15.9
	Dark grey	50 x 50 cm	24563081	S5502-R	20.8
	Dark grey Denim	50 x 50 cm	24563079	S4010-R70B	29.5
	Green	50 x 50 cm	24563083	S3020-G70Y	35.3
CHAMBRAY	0.00	50 x 50 cm	24563082	S3020-G707 S3005-Y80R	43.9
OTAMBIAT	Grey beige	50 x 50 cm	24563082		
	Light grey	100x100 cm	24563080	S3502-R	37.1
	Ochre	50 x 50 cm	24563084	S4050-Y50R	26.9
	Petrol	50 x 50 cm	24563086	S6010-B30G	15.4
	retion	20 x 120 cm	24593087	00010 0000	10.7
	Golden	20 x 120 cm Chevron Left	24597087	S4020-Y30R	31.3
OITIZEN OAK	Oolden	20 x120 cm Chevron Right	24599087	01020 10011	01.0
CITIZEN OAK		20 x120 cm	24593088		
	Natural	20 x 120 cm Chevron Left	24597088	S4010-Y10R	30.8
		20 x120 cm Chevron Right	24599088		
	Camel	50 x 50 cm	24562071	S5010-Y30R	20.0
DASHES	Green	50 x 50 cm	24562070	S6005-G20Y	15.7
	Petrol	50 x 50 cm	24562072	S7005-B20G	9.1
	Beige	25 x 100 cm	24576305	S4010-Y30R	32.1
	Black	25 x 100 cm	24576300	S7500-N	8.3
	Dark grege	25 x 100 cm	24576304	S6005-Y20R	13.7
ENGLISH OAK	Grege	25 x 100 cm	24576301	S5005-Y50R	19.8
	Grey	25 x 100 cm	24576303	S4500-N	26.7
	Warm gold	25 x 100 cm	24576302	S5010-Y30R	19.9
	Golden black	66 x 66 cm	24565077	S7005-R80B	13.0
MARBLE PULPIS	GOIGETI DIACK	100 x 100 cm	24588077	31003-D00D	
	Grey	66 x 66 cm	24565078	S4502-R	28.2
	Dark grey	25 x 100 cm	24567102	S5005-Y80R	15.5
	5 /	50 x 50 cm 25 x 100 cm	24563102 24567101		
MINIMAL WOOD	Grey	50 x 50 cm	24567101	S4010-Y30R	22.8
		25 x 100 cm	24567100	05010 1/000	
	Natural	50 x 50 cm	24563100	S5010-Y30R	20.8
	Anthracite	50 x 50 cm	24564044	S6000-N	16.8
	Chalk	50 x 50 cm	24564064	S2502-Y	48.6
	Dark anthracite	50 x 50 cm	24564046	S7502-B	9.4
	Cross	50 x 50 cm	24564002	CAEOO N	26.1
DATINE	Grey	100 x 100 cm	24578002	S4500-N	26.1
PATINE	Light chocolate	50 x 50 cm	24564040	S4005-Y50R	29.9
	Solid blue	50 x 50 cm	24564065	S4040-R90B	10.7
	Solid green	50 x 50 cm	24564066	S4040-B90G	16.6
	Solid red	50 x 50 cm	24564068	S2060-Y90R	14.9
	Solid yellow	50 x 50 cm	24564067	S2050-Y	44.8
TERRAZZO MURANO	Multico	50 x 50 cm	24563075	S2002-Y50R	58.0
	Chocolate	50 x 50 cm	24560033	S5005-Y50R	19.7
TISSE	Dark grey	50 x 50 cm	24560032	S6500-N	14.4
TRAVERTINE	Chalk	50 x 50 cm	24563076	S1502-Y50R	62.8
	Dark grey	66 x 66 cm	24565000	S5500-N	19.1
VINTAGE ZINC	,	66 x 66 cm	24565002		
	Metalic	100 x 100 cm	24588002	S4502-Y	29.8
	Oxyde	66 x 66 cm	24565069	S6502-R	13.1
WALNUT	Walnut	20 x 120 cm	24593089	S6010-Y50R	17.9
	Bicolor	50 x 50 cm	24562092	S7005-Y80R	11.9
WOVEN LYNE "	Dark	50 x 50 cm	24562090	S7502-Y	10.4
WOVEN VINYL		50 x 50 cm	24562091		
	Natural	100 x 100 cm	24589091	S5005-Y20R	23.3

#### **CUSTOMIZATION** RULES

#### Standard option

No min. quantity

#### **Format** change

Made to order Min. 800 m<sup>2</sup>

#### **Exclusive** colour

Made to order Min. 1000 m²

#### Tiles



50 x 50 cm



100 x 100 cm

#### **Planks**



25 x 100 cm



20 x 100 cm



20 x 100 cm Chevron Left



20 x 100 cm Chevron Right

<sup>\*</sup>Caution: the area around the warning tiles will be merged together

<sup>\*</sup>LRV: Luminous Reflectance Value

## **TENDER**SPECIFICATIONS

The selected flooring similar to iD Square belongs to EN ISO 10582 / EN 651 Acoustic resilient floor covering manufactured. It is a class 34, heavy commercial traffic, modular resilient with a PVC Wear Layer of 0,8mm.

It is available in several formats and shapes: Tiles of  $50 \times 50 \text{ cm} / 66 \times 66 \text{ cm} / 100 \times 100 \text{ cm}$ ; Planks of  $25 \times 100 \text{ cm} / 20 \times 120 \text{ cm}$ ; Chevron of  $20 \times 120 \text{ cm} 20 \times 120 \text{ cm}$ .

The wear layer of is reinforced with a UV photo crosslinked polyurethane including particles of alumina TopClean XP  $^{\text{TM}}$  treatment, which permanently suppresses any wax and regenerating polish spray maintenance operations. It has a static indentation resistance  $\leq 0,10$ mm.

Its emission rate of volatile organic compounds in air is less than 10  $\mu$ g / m³ (TVOC after 28 days). It is 100% phthalate-free.

iD Square comes with a 10-Year Warranty.

## **TECHNICAL**DATA SHEET

Classification	Standards	iD Square	
Classification	EN ISO 10582 / EN 651	Heterogeneous Acoustic Re	silient Floorcovering
	EN ISO 10874	Commercial: 34	-
Wear layer binder content	EN ISO 10582	Type I	
Fechnical characteristics			
Total thickness	EN ISO 24346	4,5 mm	
Wear layer thickness	EN ISO 24340	0,80 mm	
Total weight	EN ISO 23997	5195 g/m <sup>2</sup>	
Bevelled edges	-	No	
Surface treatment (PUR)	-	Yes - TopCleanXP™	
Form of delivery	EN ISO 24342		
	Planks	25 x 100 cm 20 x 120 cm 20 x 120 cm Left chevron 20 x 120 cm Right chevron	9 planks/box = 2.25 m <sup>2</sup> 10 planks/box = 2,40m <sup>2</sup> 10 planks/box = 2 m <sup>2</sup> 10 planks/box = 2 m <sup>2</sup>
	Tiles	50 x 50 cm 66 x 66 cm 100 x100 cm	9 tiles/box = 2,25 m <sup>2</sup> 5 tiles/box = 2,22 m <sup>2</sup> 50 tiles/pallet = 50 m <sup>2</sup>
Perfomance for CE marking requirement (	EN 14041)		
Declaration Of Performance	EN 14041	0120-0067-DoP-2014-11	
Reaction to fire	EN 13501-1	B <sub>11</sub> s1 loose-laid on an A1 <sub>f1</sub> and/or A2 <sub>f1</sub> substrate O <sub>f1</sub> s1 loose-laid on a wooden sub-floor	
Electrostatic properties	EN 1815 EN 1081	<2 kV on concrete > 109 Ohm	
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> K/W	
Antislip classification	EN 13893	µ ≥ 0.30	
Technical performances			
Dimensional stability	EN ISO 23999	≤ 0,10 %	
Impact sound reduction	EN ISO 717-2	ΔLw = 15 dB	
Reduction of in-room impact noise	EN ISO 31-074	Class B - $L_{n,e,w}$ = < 75 dB	
Accoustical absorption	EN ISO 11654	∞ W = 0.05	
Slip resistance	DIN 51130	R10/R11 depending on Embossing	
Furniture leg	EN 424	No damage	
Castor chair	ISO 4918	No damage	
Light fastness	EN ISO 105-B02	≥6	
Residual indentation	EN ISO 24343-1	≤ 0,10 mm	
Chemical resistance	EN ISO 26987	Very good	
Underfloor heating	-	Suitable - max. 27 °C	
Environmental performances			
Total VOC emission	ISO 16000-9	<10 μg/m³ (after 28 days)	
Recyclable	-	100%	
Plasticizer	-	Phthalate-free	

The above information is subject to modification for the benefit of further improvement. (12/18). Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF: 4820 5000 00













**iD SQUARE** 63



■WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien — Tel. +43 1 47 88 062 • Belgium: Tarkett Belux N.V — Tel. +32 52 26 24 11 • Denmark: Tarkett A/S — Tel. +43 49 06 011 • Finland: Tarkett Oy — Tel. +358 9 4257 9000
• France: Tarkett SAS — Tel. +33 1 41 20 42 49 • Germany: Tarkett Holding GmbH — Tel. +49 62 33 810 • Greece: Tarkett Monoprosopi Ltd — Tel. +30 210 6745 340 • Italy: Tarkett S.p. A. — Tel. +39 0744 7551 • Luxembourg: Tarkett Belux N.V — Tel. +32 52 26 24 11 • Netherlands: Tarkett Floors S.L. — Tel. +34 91 358 00 35 • Sweden: Tarkett Sverige AB — Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH — Tel. +41 042 233 79 24 • Turkey: Tarkett Aspen — Tel. +90 212 13 65 80 • United Kingdom: Tarkett Ltd — Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Belux Trakett Floors S.L. — Tel. +34 91 358 00 35 • Sweden: Tarkett Sverige AB — Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH — Tel. +410 245 237 24 • Turkey: Tarkett Aspen — Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ld — Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Belux Trakett Belux Trakett Floors S.L. — Tel. +34 91 358 00 35 • Sweden: Tarkett Flooring Trakett Polska Sp. 20 0. ■ Tel. +42 10 56 80 • United Kingdom: Tarkett Ld — Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Flooring Trakett Flooring Trakett Toles Trakett Trakett Trakett Flooring India Frakett Flooring India Frakett Flooring Singapore Pte. Ltd. — Tel. +36 12 85 12 80 40 40 ■ EASTERN EUROPE: Baltic Trakett Flooring India Frakett Flooring India Frakett Flooring India Frakett Flooring Singapore Pte. Ltd. — Tel. +36 143 81 81 80 40 40 1 ■ NoRTH East Flooring Singapore Pte. Ltd. — Tel. +36 143 81 81 80 40 40 1 ■ NoRTH East Flooring Singapore Flooring Singapore Flooring Singapore Flooring Singapore Floori

The designs and photos used in this brochure are for illustration purposes only. They are not contractual images and do not stand for product recommendation. Design: AgenceGecko / Photos: Getty images - Studio des plantes / Print: Lamazière

www.professionals.tarkett.com



